



Adi-Fbox Spray Shields

Adi-Fbox Spray Shields



Leakages through valves, flanges and other piping connections are the most common problems that cause serious risk of fire and other accidents in marine, offshore and in other industrial plants.

That's why we designed Adi-Fbox spray shields to protect personnel and equipment.

Adi-Fbox offers several benefits:

- Solid construction of Adi-Fbox makes it a longer-lasting and re-usable spray shield solution.
- Adi-Fboxes are easy to install and remove without any tools
- Adi-Fbox stands against vibrations and impacts.
- Adi-Fbox prevents liquids, like oil, to spray on hot surfaces.
- Adi-Fbox fulfils the regulations. (SOLAS*, ATEX**)
- Adi-Fbox is available for all DIN, ANSI and PN flange sizes.
- Adi-Fbox can also be used as an insulation cover if needed.

*For example IMO's SOLAS regulations require that oil fuel, lubricating oil and other flammable oil piping are to be protected to avoid oil spray.

**ATEX Explosion Hazard Area, EU-directives 94/9/EU and 99/92/EU.

Adi-Fbox Spray Shields



Contact information:

contact@adiabatix.fi

Adiabatix Oy
Pääportti 3
65320 Vaasa Finland
Puh +358 (0)6 3610 390
Fax +358 (0)6 3610 391

For additional information visit our website: www.adiabatix.fi